

ROBOTIX MARKET

SERIES BROCHURE
2026 edition



KEENON ROBOTICS · COMMERCIAL
CLEANING ROBOTS · ROBOTIX MARKET

KLEENBOT

C20, C30, C40 and C55:
KEENON's KLEENBOT
cleaning robots

From a 351 mm-high robot for compact
spaces to a sweeper-scrubber with 60 L
of clean water for large sites.



Available worldwide from Robotix Market
robotixmarket.com

OVERVIEW

Four KLEENBOTs, from small shops to large sites

KEENON's KLEENBOT robots clean commercial floors autonomously. The four models differ in size and in how they clean: the compact C20 sweeps, vacuums and mops small spaces; the C30 cleans dry by sweeping, vacuuming and dust mopping; the C40 sweeps, vacuums, scrubs and pushes dust on hard floors and short-pile carpet; and the C55 sweeps and scrubs in one pass across medium to large spaces.

Four sizes, one job

The C20 at 351 mm high for compact, low-height spaces, the C30 for dry cleaning, the C40 as a 4-in-1 cleaner for hard floors and carpet, the C55 for medium to large spaces.

Wet or dry

The C20 mops with separate clean and dirty water tanks, the C30 cleans dry, and the C40 and C55 scrub with a triple roller brush that leaves the floor dry in about 30 seconds.

Sees its surroundings

LiDAR, dual stereo vision, four line lasers and three ultrasonic modules on the C40; a top-mounted multi-line LiDAR and four stereo vision sensors for 360° perception on the C55.

400 to 2,376 m² an hour

Up to 400 m²/h on the C20, 600 m²/h on the C30, up to 1,100 m²/h on the C40 and up to 2,376 m²/h on the C55.

Long shifts

Up to 12 h of sweeping on the C40 and up to 10 h of dust mopping on the C30; the C40 and C55 swap batteries in 5 seconds.

Managed remotely

Tasks, status, remote dispatch and cleaning reports from app or web on the C20, C40 and C55; the C30 takes and tracks tasks in the KEENON App.



2,376 m²/h

TOP EFFICIENCY
(C55)

12 h

LONGEST RUN
(C40)

5 s

BATTERY SWAP
(C40, C55)

60 L

CLEAN WATER
(C55)

351 mm

LOWEST BODY
(C20)

Which KLEENBOT?

CHOSEN BY FLOOR AREA, SURFACE AND HOW YOU CLEAN



C20

Compact: sweep, vacuum, mop

- 351 mm high, 22 kg
- Up to 400 m²/h



C30

3-in-1 dry cleaning

- Cleans 610 mm wide
- Up to 2,500 m² per charge



C40

4-in-1, hard floor and carpet

- Triple roller brush
- 5-second battery swap



C55

Sweep and scrub, large spaces

- 60 L clean water tank
- Up to 2,376 m²/h

C20 · C30 · C40 · C55 compared

	KLEENBOT C20 Compact · sweep, vacuum, mop	KLEENBOT C30 3-in-1 dry cleaning	KLEENBOT C40 4-in-1 · hard floor and carpet	KLEENBOT C55 Sweep + scrub · large spaces
BODY				
Size (W × D × H)	523 × 400 × 351 mm	490 × 520 × 750 mm (without dust mop)	578 × 500 × 690 mm; 616 × 550 × 690 mm with squeegee	850 × 860 × 1082 mm (with squeegee)
Weight	22 kg (with battery, empty tanks)	35 kg (with battery)	70 kg (with battery)	150 kg (with battery)
Minimum passage width	—	—	650 mm	—
CLEANING				
Functions	Sweeping, vacuuming, mopping	Sweeping, vacuuming, dust mopping	Sweeping, vacuuming, scrubbing, dust pushing	Sweeping and scrubbing in one pass
Cleaning width	Sweep/vacuum 450 mm; scrub 285 mm	Up to 610 mm	Sweep 560 mm (dual side brushes); vacuum/scrub 400 mm	Scrub 550 mm (excluding side brush)
Cleaning efficiency	Up to 400 m²/h	600 m²/h	Up to 1,100 m²/h	Up to 2,376 m²/h**
Area per charge	—	Up to 2,500 m²	—	—
Brushes	Sweep brush, side brush, rear mopping module	Brush, side brush, dust mop	Triple roller brush, dry/wet waste separation	Triple roller brush
Maximum suction	—	19,000 Pa	23,500 Pa, adjustable	—
Floor drying	—	—	About 30 s after scrubbing	About 30 s
Floors	Hard floors	—	Hard floors and short-pile carpet, auto-detected	—
WATER AND WASTE				
Clean / dirty water	7 L / 5 L	— (dry cleaning)	16 L / 11 L	60 L / 47 L
Dust	Trash bin 0.66 L	Dust bag	Dust bag 8 L	Front dustbin 2 L, rear 0.7 L
BATTERY				
Runtime*	Up to 4 h	Sweep/vacuum up to 6 h; dust mop up to 10 h	Scrub up to 5 h; sweep up to 12 h	Up to 5 h
Charging time	3 h	5–6 h	2 h	4 h
Battery	DC 24 V, 15.6 Ah	—	DC 25.6 V, 50 Ah; 5-second swap	Dual battery, 5-second hot swap
NAVIGATION AND OPERATION				
Sensors	—	—	LiDAR, dual stereo vision, 4 line lasers, 3 ultrasonic modules	Top multi-line LiDAR, 4 stereo vision sensors, 360°
Operation	One-touch mopping	Extendable handle for manual map building	11.6" touchscreen; sound and light status alerts	Manual and automatic modes, assist handle
Charging and water	—	—	Self-charging; automatic fresh water supply and drainage; detergent ratio set in the app	Workstation on the building's pipes: charging, clean water, drainage
Elevators and doors	—	—	IoT elevator and door passing	IoT elevator and gate connection
Management	App or web: tasks, status, remote dispatch, reports	KEENON App: assign and track tasks	App or web: tasks, status, remote dispatch, reports	App or web: tasks, status, remote monitoring, reports
Several robots	—	—	Multi-machine scheduling, breakpoint resume	Multi-machine collaboration, breakpoint resume
Maintenance	Modular: tanks, brush module, dust box	—	Modular, 35 s daily care; washable dirty water tank	Tool-free 90° water tank flip in 3 s

— not specified for that model. * Runtime depends on the cleaning mode, the floor and the conditions of use. ** Maximum theoretical cleaning efficiency.

Sources: KEENON KLEENBOT C20, C30, C40 and C55 product pages on keenon.com (product parameters and feature sections), September 2026. All figures are the manufacturer's.

Drawn to scale

From the 351 mm C20 for compact, low-height spaces to the 1082 mm C55 for large sites.



C20

Compact · 351 mm

- 523 × 400 × 351 mm, 22 kg
- Sweeps, vacuums and mops
- Clean water 7 L, dirty water 5 L
- Up to 400 m²/h
- Up to 4 h per charge, 3 h to charge



C30

Dry cleaning · 750 mm

- 490 × 520 × 750 mm, 35 kg
- Sweeps, vacuums and dust-mops 610 mm wide
- 19,000 Pa suction
- Up to 2,500 m² per charge
- Dust mopping up to 10 h, 5–6 h to charge



C40

4-in-1 · 690 mm

- 578 × 500 × 690 mm, 70 kg
- Triple roller brush, dry and wet waste kept apart
- Clean water 16 L, dirty water 11 L
- Up to 1,100 m²/h
- Scrubs up to 5 h, sweeps up to 12 h



C55

Large spaces · 1082 mm

- 850 × 860 × 1082 mm, 150 kg
- Sweeps and scrubs in one pass, 550 mm
- Clean water 60 L, dirty water 47 L
- Up to 2,376 m²/h
- Up to 5 h, dual battery hot swap

Shared by all four

THE SAME BASICS UNDER EVERY BODY

Autonomous

Cleaning robots that run their tasks on their own

Remote tasks

Assign and track cleaning tasks from the app (C20, C40, C55 also on the web)

Sweeping

Every model sweeps; the C20, C30 and C40 also vacuum

Charging

Rechargeable battery on every model, 2 to 6 h to charge

Replaceable parts

BRUSHES, FILTERS AND BLADES FOR EACH MODEL

C20

Side brush, sweep brush, lint roller, HEPA and cotton filter

C30

Side brush, brush, squeegee blade, dust bag, mop pad, HEPA filter

C40

Sweeping, scrubbing, side, sweeping fibre and dust mopping brushes; squeegee blade, HEPA filter, dust bag

C55

Sweeping, scrubbing and side brushes; squeegee blade

Made for commercial floors



Four ways to clean (C40)

Sweeps, vacuums, scrubs and pushes dust on hard floors and short-pile carpet, detects the change of floor itself and swaps its battery in 5 seconds.



Built low (C20)

At 351 mm high and 22 kg the C20 sweeps, vacuums and mops compact, low-height spaces, with separate tanks so dirty water is never reused.



Dry cleaning, long runs (C30)

Sweeping, vacuuming and dust mopping 610 mm wide, up to 2,500 m² on one charge, and an extendable handle for building the map by hand.



Dry and wet kept apart (C40)

Two rollers pre-sweep and one scrubs, so dry waste reaches the dust box before the wet pass; adjustable suction up to 23,500 Pa leaves the floor dry in about 30 seconds.



Sweep and scrub in one pass (C55)

A triple roller brush removes heavy stains in a single pass across 550 mm, and two batteries hot-swap in 5 seconds while the robot stays on.

From the shop floor to the car park

Small shops, cafés and gyms (C20)

A 351 mm-high body for compact, low-height spaces and daily hard floor maintenance.

Hotels and offices (C30, C40)

Dry cleaning of lobbies and corridors with the C30; the C40 moves between hard floor and short-pile carpet and detects the change itself.

Supermarkets and retail (C40, C55)

Coffee, juice, hair and paper scraps on the C40; heavy stains swept and scrubbed in a single pass on the C55.

Malls, factories and car parks (C55)

Up to 2,376 m²/h, 60 L of clean water and a chassis that crosses 5 cm speed bumps in underground car parks.

Around the clock (C40, C55)

Batteries swap in 5 seconds; the C55's workstation connects to the building's pipes for charging, clean water and drainage.

Several robots, one site (C40, C55)

Multi-machine scheduling, breakpoint resume and IoT connections to elevators and doors or gates.



In the box: we confirm the full packing list for your KLEENBOT, including the charging equipment and, for the C55, the workstation, with your quotation. Replaceable parts for each model are listed on page 4.



App, web and self-service

The C20, C40 and C55 are managed around the clock from KEENON's app or web platform: tasks, status, remote dispatch or monitoring, and cleaning reports; the C30 takes and tracks tasks in the KEENON App. The C40 charges itself when a task ends, takes in fresh water, drains waste water and doses detergent at the ratio set in the app. The C55's workstation connects to the building's pipes for charging, clean water and drainage.

NEXT STEP

Choose your KLEENBOT

Tell us about your floors: the area, the surfaces, what gets spilled and when you clean. We will recommend the model and come back with a configuration, a delivery estimate to your address and a formal quotation.

Request a quotation

Web

robotixmarket.com/products/keenon-kleenbot-c30-commercial-cleaning-robot

C20, C40 and C55: scan the codes for their pages.

Email · info@robotixmarket.com

Prices for your market are on the product pages or on request; configuration and delivery are confirmed with your quotation. Robotix Market ships worldwide.



C20



C30



C40



C55

Sourced new

Supplied through established distribution channels.

Manufacturer warranty

Every robot ships with the full KEENON manufacturer warranty and official documentation.

Support

Technical support is coordinated with the manufacturer's service network.

See them in action

C20: youtube.com/watch?v=JAEnvexMePw · C30: youtube.com/watch?v=nHcg64XRxks · C40: youtube.com/watch?v=Gd4mC4TcF6s · C55: youtube.com/watch?v=WBlkoDMBsZI